



T&S's UK-0107 Spray Valve – Available for all of Europe

The **UK-0107 Spray Valve** was initially designed for the British markets, but it is applicable to all T&S pre-rinse units (with a B- or EU-prefix) and great for heavy use in commercial kitchens.

It is the **blue international version of our #1 top-selling B-0107 pre-rinse spray valve** and has the same “cat eye” spray pattern with a single spray point to create higher force to allow for faster cleaning; Ideal for when you need a superior quality spray valve suited for most general applications with a focus on sustainability, and want it to be backed by decades of trusted satisfaction.



UK-0107
Spray Valve
4.35 L/min

DID YOU KNOW?

Spray force is defined as the physical force of the spray measured during testing. This measurement typically increases with higher flow rates.

Features & Benefits:

- Designed for heavy-duty use in industrial kitchens
- 4.35 L/min spray valve
- Shuts off when handle is released
- Hold down ring
- 3/4-14 UN male inlet fitting

Material: Polished chrome plated brass body and rubber bumper


Warranty: One Year (Limited)

Product Compliance:

- 2019 DOE PRSV - Class II
- NSF 372 (Low Lead Content)
- NSF 61 - Section 9
- ASME A112.18.1 / CSA B125.1

Performance Data:

- Pressure: 1.4 – 8.6 bar (20 – 125 psi)
- Temperature: 4.5 – 60 Celsius (40°F – 140°F)
- Flow Rate: 4.35 L/min @ 4.14 bar (1.15 GPM @ 60 psi)
- Spray Force: 2.0 N @ 4.14 bar (7.5 Ozf @ 60 psi)



UK-2DP12

Think you're saving by not going with T&S?
Think again:



By investing in T&S, you are investing in your business:

Lower Water-Related Costs (including Heating Costs)

- UK-0107's flow rate: 4.35 L/min
- Average flow rate of competitors: 10.29 L/min
- 5.94 Litres per minute saved by switching to T&S
- Up to 11 L/min difference between T&S and highest competitor tested

Equal or Better Cleaning Efficiency

- T&S had better spray force than 50% of competitors, even with lower flow rate

Quickest ROI and Best Cost of Ownership

- UK-0107 lasted 2 million cycles in life cycle testing
- The average competitor lasted only 504,649 cycles
- UK-0107 lasted nearly 3 times as long as next best competitor spray valve (838,156 with leaks) and almost 7 times longer than the lowest



Should you have any questions, please do not hesitate to contact me anytime:

Gavin Woodward

Sales Manager - UK / Middle East / Africa / Nordics
+44 7464 877656